

VOLUME 129, NUMBER 1
(Published 19 December 2003)

CONTENTS

- | | | |
|---|-----|---|
| D. Jia, W. Jia, X.-J. Wang and W.M. Yen | 1 | Quenching of thermo-stimulated photo-ionization by energy transfer in CaAl_4O_7 : Tb^{3+} , Ce^{3+} |
| V. Sencadas, S. Lanceros-Méndez and J.F. Mano | 5 | Effect of the mechanical stretching on the ferroelectric properties of a (VDF/TrFE) (75/25) copolymer film |
| A.K. Arora, R. Nithya, T. Yagi, N. Miyajima and T.A. Mary | 9 | Two-stage amorphization of scandium molybdate at high pressure |
| E. Asari and R. Souda | 15 | Observation of $p(1 \times 1)$ -type rows on $\text{TiO}_2(110)$ - $p(1 \times 2)$ surface by scanning tunneling microscope (STM) |
| K.J.S. Sokhey, M.K. Chattopadhyay, A.K. Nigam, S.B. Roy and P. Chaddah | 19 | Signatures of phase separation across the disorder broadened first order ferromagnetic to antiferromagnetic transition in doped- CeFe_2 alloys |
| B. Wang, X. Chen, G. Chen, G. Wang and J. Zhao | 25 | Electronic and magnetic properties of multishell Co nanowires coated with Cu |
| A. Sasaki, K. Nishizuka, T. Wang, S. Sakai, A. Kaneta, Y. Kawakami and Sg. Fujita | 31 | Radiative carrier recombination dependent on temperature and well width of InGaN/GaN single quantum well |
| N.Q. Khanh and H. Totsuji | 37 | Electron correlation in two-dimensional systems: CHNC approach to finite-temperature and spin-polarization effects |
| L. Tian, B.-Y. Yu, C.-H. Pyun, H.L. Park and S.-i. Mho | 37 | New red phosphors $\text{BaZr}(\text{BO}_3)_2$ and $\text{SrAl}_2\text{B}_2\text{O}_7$ doped with Eu^{3+} for PDP applications |
| Y.C. Lee, G.W. Shu, J.L. Shen, W.Y. Uen and Y.F. Chen | 47 | Optical properties of Nd-doped InGaAsP epilayers |
| J. An and C.-W. Nan | 51 | Electronic structure and transport of $\text{Ca}_3\text{Co}_2\text{O}_6$ and $\text{Ca}_3\text{CoNiO}_6$ |
| A.C. Bittencourt, G.E. Marques and C. Trallero-Giner | 57 | Mapping between electronic structure and ac-Stark shift resonances in heterostructures |
| I.E. Tyschenko, A.B. Talochkin, A.G. Cherkov, K.S. Zhuravlev and R.A. Yankov | 63 | Optical transitions in Ge nanocrystals formed by high-pressure annealing of Ge^+ ion implanted SiO_2 films |
| C.M.I. Okoye | 69 | Investigation of the pressure dependence of band gaps for silver halides within a first-principles method |
| | I | Keywords |
| | III | Instructions to Authors |

VOLUME 129, NUMBER 2
(Published 29 December 2003)

CONTENTS

- | | | |
|--|----|--|
| Q.Y. Tu, X.L. Chen, B.K. Ma, Z.X. Zhao and J.K. Liang | 75 | Superconductivity and magnetism of $\text{La}_2\text{Cu}_{1-x}\text{Zn}_x\text{O}_{4+\delta}$ chemically oxidized by NaClO |
| A.M. Panich, I. Felner, A.I. Shames, S. Goren, P.K. Ummat and W.R. Datars | 81 | Magnetic susceptibility and magnetic resonance study of acceptor doped fullerenes $\text{C}_{60}(\text{MF}_6)_2$ ($\text{M} = \text{As, Sb, P}$) |
| Ya.G. Ponomarev, S.A. Kuzmichev, M.G. Mikheev, M.V. Sudakova, S.N. Tchesnokov, N.Z. Timergaleev, A.V. Yargin, E.G. Maksimov, S.I. Krasnosvobodtsev, A.V. Varlashkin, M.A. Hein, G. Müller, H. Piel, L.G. Sevastyanova, O.V. Kravchenko, K.P. Burdina and B.M. Bulychev | 85 | Evidence for a two-band behavior of MgB_2 from point-contact and tunneling spectroscopy |
| H. Sasaki, A. Tanaka, Y. Kuriyama, T. Nagasawa, Y. Takeda, S. Suzuki, S. Sato and T. Nagase | 91 | Angle-resolved photoemission study of CoSi_2 nanofilms grown on $\text{Si}(111)$ substrates |

- T. Devolder and C. Chappert 97 Spectral analysis of the precessional switching of the magnetization in an isotropic thin film
- R. Resel, M. Oehzelt, K. Shimizu, A. Nakayama and K. Takemura 103 On the phase-transition in anthracene induced by high pressure
- M. Lejeune, O. Durand-Drouhin, C. Barthou, Ph. Lavallard, H.-J. von Bardeleben and A. Zeinert 107 Microstructure related photoluminescence in a-CN_x films deposited by reactive rf magnetron sputtering
- M. Abbate, H. Ascolani, F. Prado and A. Caneiro 113 Electronic structure and band gap of the negative charge-transfer material Sr₃Fe₂O₇
- V.P.S. Awana, A. Gupta, H. Kishan, E. Takayama-Muromachi, T. Watanabe, M. Karppinen, H. Yamauchi, S.K. Malik, W.B. Yelon, V. Ganesan and A.V. Narlikar 117 Superconductivity with transition temperature up to 80K for TbSr₂Cu_{2.7}Mo_{0.3}O₇ + δ
- A. Ran Lim, J.H. Chang, H.J. Kim and H.M. Park 123 Phase transition and ferroelastic property studied by using the ¹³³Cs nuclear magnetic resonance in a CsHSO₄ single crystal
- J. Lindén, T. Shimada, T. Motohashi, H. Yamauchi and M. Karppinen 129 Iron and molybdenum valences in double-perovskite (Sr,Nd)₂FeMoO₆: electron-doping effect
- K. Wang and Y. Sui 135 Influence of the modulating interfacial state on Sr₂FeMoO₆ powder magnetoresistance properties
- M. Therasse and M. Benlahsen 139 Effects of deposition temperature on the structure of amorphous carbon nitride films
- I Keywords
- III Instructions to Authors

VOLUME 129, NUMBER 3

(Published 5 January 2004)

CONTENTS

- C. Castellano, A. Paolone, F. Cordero, R. Cantelli and M. Ferretti 143 Relation between charge ordering and local lattice disorder in manganites studied by EXAFS
- H.G. Tang, X.F. Ma, W. Zhao, X.W. Yan, J.M. Yan and C.J. Zhu 147 Crystallization of mechanically alloyed amorphous W–Mg alloy under high pressure
- S. Punpocha, R. Hoonsawat and I.M. Tang 151 Calculation of T_c and the ratio $2\Delta(0)/k_B T_c$ of MgB₂ within a two-band model of superconductivity
- H. Enomoto and M. M. Lerner 157 Synthesis of PEO/4Hb-TaS₂ layered nanocomposite
- J.S. Kim, H.L. Park, C.M. Chon, H.S. Moon and T.W. Kim 163 The origin of emission color of reduced and oxidized ZnGa₂O₄ phosphors
- A. John Peter 169 Metal–insulator transition in many valley semiconductors in the spirit of the Hubbard model
- Y.M. Kim, M. Yoon, I.-W. Park, Y.J. Park and J. H. You 175 Synthesis and magnetic properties of Zn_{1-x}Mn_xO films prepared by the sol–gel method
- B. Chevalier, M. Pasturel, J.-L. Bobet and J. Etourneau 179 Antiferromagnetic–ferromagnetic transition induced by the hydrogenation of the ternary stannide Ce(Ni_{0.82}Cu_{0.18})Sn
- N.P. Mandal, A. Sharma and S.C. Agarwal 183 Arresting photodegradation of porous silicon by a polymer coating
- Z.J. Qiu, Y.S. Gui, Z.W. Zheng, N. Tang, J. Lu, B. Shen, N. Dai and J.H. Chu 187 Beating patterns in the oscillatory magnetoresistance of an AlGaIn/GaN heterostructure
- J. H. Koo and G. Cho 191 Magnetic field dependence on transition temperature T_c in cuprate superconductors
- S.S. Aplesnin, G.A. Petrakovskii, L.I. Ryabinkina, G.M. Abramova, N.I. Kiselev and O.B. Romanova 195 Influence of magnetic ordering on the resistivity anisotropy of α -MnS single crystal
- B.L. Zink and F. Hellman 199 Specific heat and thermal conductivity of low-stress amorphous Si–N membranes

K. Boujdaria and O. Zitouni

205 Energy-band structure of CdTe and Si: a $sp^3(s^*)^2k.p$ model

I Keywords

III Instructions to Authors

VOLUME 129, NUMBER 4

(Published 12th January 2004)

CONTENTS

V. Bondarenko, J.W. Brill, J. Dumas
and C. Schlenker211 Specific heat anomalies in the quasi two-dimensional mono-
phosphate tungsten bronzes $K_xP_4W_8O_{32}$ F. Trequattrini, F. Cordero, G. Cannelli
and R. Cantelli217 Mobility of interstitial oxygen in scandium by anelastic
spectroscopyK. Boujdaria, S. Ridene, S. Ben Radhia,
H. Bouchriha and G. Fishman221 Symmetrized Hamiltonian versus 'Foreman' Hamiltonian for
semiconductor valence band: an insightA. Comin, M. Rossi, C. Mozzati, F. Parmigiani
and G.P. Banfi

227 Femtosecond dynamics of Co thin films on Si support

Y. Li, L. You, R. Duan, P. Shi and G. Qin

233 Oxidation of a ZnS nanobelt into a ZnO nanotwin belt or double
single-crystalline ZnO nanobelts

V. Petkov, D. Qadir and S.D. Shastri

239 Rapid structure determination of disordered materials: study of
GeSe₂ glass

S. Yonezawa, Y. Muraoka, Y. Ueda and Z. Hiroi

245 Epitaxial strain effects on the metal–insulator transition in V₂O₃
thin films

T. Thonhauser

249 Influence of negative pressure on thermoelectric properties of
Sb₂Te₃M. Mouallem-Bahout, T. Roisnel, G. André,
D. Gutierrez, C. Moure and O. Peña255 Nuclear and magnetic order in Y(Ni,Mn)O₃ manganites by
neutron powder diffraction

K.H. Han, J.G. Kim and S. Lee

261 Brillouin light scattering study of the magnetic hysteresis loop
in Fe–Ni/Si(100) film with induced magnetic anisotropyA. Aslam, W.H. Shah, B. Ali, S.K. Hasanain,
M.J. Akhtar and M. Nadeem267 Revival of metastable behavior in phase separated
La_{0.5}Ca_{0.5}MnO_{3+δ}

J. Chatterjee and A.N. Das

273 Two-site two-electron generalized Hubbard–Holstein model: a
perturbation study

I Author Index

V Keywords

VII Instructions to Authors

VOLUME 129, NUMBER 5

(Published 19 January 2004)

CONTENTS

Y. Guo, K.-i. Kakimoto and H. Ohsato

279 Dielectric and piezoelectric properties of lead-free
(Na_{0.5}K_{0.5})NbO₃–SrTiO₃ ceramics

A. Trukhin and B. Pommellec

285 Energy transport in silica to oxygen-deficient luminescence
centers. Comparison with other luminescence centers in silica
and α -quartzA. Cohen, A. Frydman and R. Berkovits
A.S.T. Pires

291 Magneto-transport properties of dilute granular ferromagnets

297 Temperature dependence of the gap in the $S = 1/2$ antiferro-
magnetic chain in the presence of a staggered field

O. Naaman and R.C. Dynes

299 Subharmonic gap structure in superconducting scanning
tunneling microscope junctions

| | | |
|---|-----|---|
| R. Rai and S. Sharma | 305 | Structural and dielectric properties of (La, Bi) modified PZT ceramics |
| K.S. Park, J.T. Son, H.T. Chung, S.J. Kim, C.H. Lee, K.T. Kang and H.G. Kim | 311 | Surface modification by silver coating for improving electrochemical properties of LiFePO_4 |
| A.L. Buzlukov, A.V. Soloninin and A.V. Skripov | 315 | NMR evidence of two frequency scales of hydrogen jump motion in Ti_2Ni -type compounds Ti_2CoH_x |
| X.X. Wang, K.W. Kwok, X.G. Tang, H.L.W. Chan and C.L. Choy | 319 | Electromechanical properties and dielectric behavior of $(\text{Bi}_{1/2}\text{Na}_{1/2})_{(1-1.5x)}\text{Bi}_x\text{TiO}_3$ lead-free piezoelectric ceramics |
| A.S. Santos, L. Ioriatti and J.J. De Groot | 325 | Oscillator strength of a two-dimensional D^- ion in magnetic fields |
| J. Bartolomé, M.D. Kuz'min, C. Kapusta, P.C. Riedi, M. Ellouze and Ph. l'Héritier | 331 | Hydrogen-induced reduction of electric field gradient in $\text{La}_2\text{Fe}_{14}\text{BH}_x$ studied by NMR on ^{139}La |
| A.K. Bakhshi and G. Gandhi | 335 | Ab initio study of the electronic structures and conduction properties of some novel low band-gap donor-acceptor polymers |
| S.A. Studenikin, M. Potemski, P.T. Coleridge, A.S. Sachrajda and Z.R. Wasilewski | 341 | Microwave radiation induced magneto-oscillations in the longitudinal and transverse resistance of a two-dimensional electron gas |
| | I | Keywords |
| | III | Instructions to Authors |

VOLUME 129, NUMBER 6

(Published 26 January 2004)

CONTENTS

| | | |
|--|-----|--|
| S.J. Stewart, M.J. Tueros, G. Cernicchiaro and R.B. Scorzelli | 347 | Magnetic size growth in nanocrystalline copper ferrite |
| R. Kudrawiec, G. Sek, J. Misiewicz, L.H. Li and J.C. Harmand | 353 | Experimental investigation of the C_{MN} matrix element in the band anticrossing model for GaAsN and GaInAsN layers |
| M. Hostettler, D. Schwarzenbach, J. Helbing, V. Dmitriev and H.-P. Weber | 359 | Structure and SHG of the high pressure phase IV of HgBr_2 |
| R.A. Ali, C.L. Wang, M. Yuan, Y.X. Wang and W.L. Zhong | 365 | Compositional dependence of the Curie temperature in mixed ferroelectrics: effective field approach |
| J. Ivkov, N. Radić and A. Tonejc | 369 | Hall effect in Al–W thin films |
| D. Merunka and B. Rakvin | 375 | Displacive and order–disorder behavior of KDP-type ferroelectrics on the local scale |
| M.R. Manaa | 379 | Electronic structure of solid $\text{C}_{48}\text{N}_{12}$ aza-fullerene |
| M. Uehara, M. Yamada and Y. Kimishima | 385 | Physical properties of double perovskite compounds ALaV-MoO_6 ($A = \text{Ca, Sr, Ba}$)—a possible half-metallic antiferromagnetic system |
| S. Samarin, O.M. Artamonov, A.A. Suvorova, A.D. Sergeant and J.F. Williams | 389 | Measurements of insulator band parameters using combination of single-electron and two-electron spectroscopy |
| B.N. Filippov, L.G. Korzunin and F.A. Kassan-Ogly | 395 | Nonlinear dynamics of vortex-like asymmetric domain walls in magnetic triaxial films |
| X. Wan, H. Luo, J. Wang, H.L.W. Chan and C.L. Choy | 401 | Investigation on optical transmission spectra of $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-x\text{PbTiO}_3$ single crystals |
| F. Zhou, L. Lu, D.L. Zhang, Z.W. Pan and S.S. Xie | 407 | Linear conductance of multiwalled carbon nanotubes at high temperatures |
| R.E. Kraig, D. Roundy and M.L. Cohen | 411 | A study of the mechanical and structural properties of polonium |
| | I | Keywords |
| | III | Instructions to Authors |

VOLUME 129, NUMBER 7

(Published 2 February 2004)

CONTENTS

- | | | |
|---|-----|--|
| I. Narita and T. Oku | 415 | Atomic structure of boron nitride nanotubes with an armchair-type structure studied by HREM |
| H. Nakajima, T. Mori, S. Itoh and M. Watanabe | 421 | Photoluminescence properties of trace amounts of Pr and Tb in yttria-stabilized zirconia |
| A.E. Karakozov, E.G. Maksimov and A.V. Pronin | 425 | Far-infrared electrodynamics of superconducting Nb: comparison of theory and experiment |
| J.Q. Li and S.L. Yuan | 431 | Anomalous paramagnetic behavior in the paramagnetic phase of $\text{La}_{2/3-x}\text{Y}_x\text{Ca}_{1/3}\text{MnO}_3$ studied through EPR and its relation to colossal magnetoresistance |
| C.C. Yang, J.C. Li and Q. Jiang | 437 | Temperature–pressure phase diagram of silicon determined by Clapeyron equation |
| X. Jiang and G.Y. Guo | 443 | Quantum self-consistent approach to the charge gap of the quasi-one-dimensional organic conductors |
| G. Zhou and W. He | 449 | Theory of the reciprocal susceptibility of the trigonal boracites and the experiment scheme |
| F. Alsina, J.A.H. Stotz, R. Hey and P.V. Santos | 453 | Acoustically induced potential dots in GaAs quantum wells |
| X.-F. Liang and W. Yang | 459 | Barrier height and negative tunnel magnetoresistance |
| U. Chon, J.S. Shim and H.M. Jang | 465 | Compositional dependence of ferroelectric properties of highly c-axis oriented $\text{Bi}_{4-x}\text{Nd}_x\text{Ti}_3\text{O}_{12}$ film capacitors |
| K. Manzoor, S.R. Vadera, N. Kumar and T.R.N. Kutty | 469 | Energy transfer from organic surface adsorbate-polyvinyl pyrrolidone molecules to luminescent centers in ZnS nanocrystals |
| Y.-C. Hsue and T.-J. Yang | 475 | Contour of the attenuated length of an evanescent wave at constant frequency within a band gap of photonic crystal |
| K.S. Shankar, S. Kar, G.N. Subbanna and A.K. Raychaudhuri | 479 | Enhanced ferromagnetic transition temperature in nanocrystalline lanthanum calcium manganese oxide ($\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$) |

I Keywords

III Instructions to Authors

VOLUME 129, NUMBER 8

(Published 9 February 2004)

CONTENTS

- | | | |
|---|-----|--|
| S. Lian, E. Wang, Z. Kang, Y. Bai, L. Gao, M. Jiang, C. Hu and L. Xu | 485 | Synthesis of magnetite nanorods and porous hematite nanorods |
| Y.S. Jung | 491 | A spectroscopic ellipsometry study on the variation of the optical constants of tin-doped indium oxide thin films during crystallization |
| J. Xu, X. Li, J. Mei, X. Huang, Z. Li, W. Li and K. Chen | 497 | The effect of hydrogen dilution on the field emission from hydrogenated amorphous carbon films |
| T. Pan, F. Zhuang and Z.-Y. Li | 501 | Absolute photonic band gaps in a two-dimensional photonic crystal with hollow anisotropic rods |
| V.I. Sokolov, S.F. Dubinin, S.G. Teploukhov, V.D. Parkhomenko, A.T. Lonchakov, V.V. Gudkov, A.V. Tkach, I.V. Zhevstovskikh and N.B. Gruzdev | 507 | Low temperature phase transition in ZnSe doped with nickel |
| A.B. Garg, V. Vijayakumar, B.K. Godwal, P.K. Dorhout and H.D. Hochheimer | 511 | High pressure electrical transport measurements of Cs_2MoS_4 and KTbP_2Se_6 and X-ray diffraction study of Cs_2MoS_4 |

| | | |
|--|-----|--|
| T.W. Kim, H.S. Lee, J.Y. Lee, Y.S. Ryu and T.W. Kang | 515 | Existence and atomic arrangement of microtwins in CdTe epilayers grown on GaAs (211) B substrates |
| D.A. Thomas and H.P. Hughes | 519 | Enhanced optical transmission through a subwavelength 1D aperture |
| K. Kushida and K. Kuriyama | 525 | Mott-type hopping conduction in the ordered and disordered phases of LiCoO_2 |
| Y. Matsuo, Y. Shimizu, T. Suzuki and S. Ikehata | 529 | NMR and magnetic studies on 7 K anomaly in $\text{Ti}_3\text{H}(\text{SO}_4)_2$ |
| T.W. Kim, D.C. Choo, K.H. Yoo, C.J. Meining and B.D. McCombe | 533 | Electronic parameters and electronic structures in modulation-doped highly strained $\text{In}_x\text{Ga}_{1-x}\text{As}/\text{In}_y\text{Al}_{1-y}\text{As}$ coupled double quantum wells |
| C.W.A. Paschoal, A.P. Ayala, I. Guedes, R.L. Moreira and J.-Y. Gesland | 539 | Sequence of structural phase transitions of CsInF_4 crystal |
| M. Kato, M. Koyano and S. Katayama | 545 | Photo-induced enhancement of charge density wave current in the quasi-one-dimensional conductor TaS_3 |
| | I | Author Index |
| | V | Keywords |
| | VII | Instructions to Authors |

VOLUME 129, NUMBER 9

(Published 16 February 2004)

CONTENTS

| | | |
|---|-----|--|
| C.L. Yuan, Y. Zhu, P.P. Ong, Z.X. Shen and C.K. Ong | 551 | Influence of preparation method on SrMoO_4 impurity content and magnetotransport properties of double perovskite $\text{Sr}_2\text{FeMoO}_6$ polycrystals |
| K. Yu, Z. Zhu, W. Wang, S. Chen, Q. Li, Q. Chen, W. Lu and J. Zi | 555 | Patterned uniformly orientated silicon nanocrystallite films and efficient field emission characteristics |
| Z. Kang, Y. Wang, E. Wang, S. Lian, L. Gao, W. You, C. Hu and L. Xu | 559 | Polyoxometalates nanoparticles: synthesis, characterization and carbon nanotube modification |
| C.E. Lee, C.H. Lee and M.W. Park | 565 | Observation of critical behaviors in squaric acid by ^1H nuclear magnetic resonance |
| R. Falconi, J.A. Azamar and R. Escudero | 569 | Electronic behavior in mats of single-walled carbon nanotubes under pressure |
| B. Chen, D. Penwell, J.H. Nguyen and M.B. Kruger | 573 | High pressure X-ray diffraction study of Fe_2B |
| V.C. Aguilera-Navarro, M. Fortes and M. de Llano | 577 | Stable and resonant Cooper pairs |
| K.-H. Lee, K. Baik, J.-S. Bang, S.-W. Lee and W. Sigmund | 583 | Silicon enhanced carbon nanotube growth on nickel films by chemical vapor deposition |
| Z. Sun, S. Li, R. Ahuja and J.M. Schneider | 589 | Calculated elastic properties of M_2AlC ($\text{M} = \text{Ti}, \text{V}, \text{Cr}, \text{Nb}$ and Ta) |
| L. Gao, L. Gu and Y. Huang | 593 | Effective medium approximation for optical bistability in nonlinear metal-dielectric composites |
| T. Tokumoto, E. Jobiliong, E.S. Choi, Y. Oshima and J.S. Brooks | 599 | Electric and thermoelectric transport probes of metal-insulator and two-band magnetotransport behavior in graphite |
| E. Souto, O.A.C. Nunes and A.L.A. Fonseca | 605 | Korringa relaxation time of magnetic ion system near a two-dimensional electron gas |
| S. Cho, S. Choi, G.-B. Cha, S.C. Hong, Y. Kim, A.J. Freeman, J.B. Ketterson, Y. Park and H.-M. Park | 609 | Synthesis of new pure ferromagnetic semiconductors: MnGeP_2 and MnGeAs_2 |
| D. Wang, L. Chen, Q. Yao and J. Li | 615 | High-temperature thermoelectric properties of $\text{Ca}_3\text{Co}_4\text{O}_{9+\delta}$ with Eu substitution |
| | I | Keywords |
| | III | Instructions to Authors |

VOLUME 129, NUMBER 10
(Published 23 February 2004)

CONTENTS

- | | | |
|---|-----|---|
| A.S.T. Pires | 619 | Note from Publishers and Editors |
| H.J. Kim, I.C. Song, J.H. Sim, H. Kim, D. Kim, Y.E. Ihm and W.K. Choo | 621 | Magnon–phonon interaction in the one dimensional quantum XY model |
| K.J. Rao, S. Kumar and P. Vinatier | 627 | Structural and transport properties of cubic spinel ZnCo_2O_4 thin films grown by reactive magnetron sputtering |
| A.K. Sotiropoulos and M. Kamaratos | 631 | Can any material form a glass? |
| A.L. Efros and A.L. Pokrovsky | 637 | Selenium adsorption on Cs-covered Si(100) 2×1 surfaces |
| D.C. Marinescu and M.P. Tosi | 643 | Dielectric photonic crystal as medium with negative electric permittivity and magnetic permeability |
| R. Holomb and V. Mitsa | 649 | Spin transresistivity—a probe of the opposite-spin correlations in an electron system |
| J. Cumings and A. Zettl | 655 | Boson peak of $\text{As}_x\text{S}_{1-x}$ glasses and theoretical calculations of low frequencies clusters vibrations |
| G. Singh, V.S. Tiwari and V.K. Wadhawan | 661 | Field emission and current-voltage properties of boron nitride nanotubes |
| Y.J. Xing, Z.H. Xi, X.D. Zhang, J.H. Song, R.M. Wang, J. Xu, Z.Q. Xue and D.P. Yu | 665 | Dipolar-glass-like behaviour of 0.7PMN–0.3PZ ceramic |
| H. Chudo, H. Nakamura and M. Shiga | 671 | Nanotubular structures of zinc oxide |
| C. Ma, Y. Berta and Z.L. Wang | 677 | Geometric frustration in CuV_2S_4 |
| | 681 | Patterned aluminum nanowires produced by electron beam at the surfaces of AlF_3 single crystals |
| | I | Keywords |
| | III | Instructions to Authors |

VOLUME 129, NUMBER 11

(Published 1 March 2004)

CONTENTS

- | | | |
|---|-----|--|
| H.J. Hwang, O.-K. Kwon and J.W. Kang | 687 | Copper nanocluster diffusion in carbon nanotube |
| L. Grigorjeva, D.K. Millers, V. Pankratov, R.T. Williams, R.I. Eglitis, E.A. Kotomin and G. Borstel | 691 | Experimental and theoretical studies of polaron optical properties in KNbO_3 perovskite |
| K.W. Lee and C.E. Lee | 697 | Size-driven dimensional crossover in the quasi-two-dimensional Ising model |
| W. Ungier and P. Janiszewski | 701 | Direct two-photon creation of a biexciton |
| J. Zhu, X.-y. Mao and X.-b. Chen | 707 | Properties of vanadium-doped $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ ferroelectric ceramics |
| G. He, J. Eckert, W. Löser and M. Hagiwara | 711 | Processing dependence of Young's modulus of Ti-base nanostructured alloys |
| X. Xu, Z. Zhao, P. Song, G. Zhou, J. Xu and P. Deng | 717 | Growth and optical properties of a new self-Q-switched laser crystal: $\text{Cr}^{4+}:\text{Yb}_3\text{Al}_5\text{O}_{12}$ |
| M.S. Seehra, P. Dutta, H. Shim and A. Manivannan | 721 | Temperature dependence of electron magnetic resonance and magnetization in NiO nanorods |
| K. Michael, O. Kanert, R. Küchler and J.T.M. De Hosson | 727 | In-situ NMR study of dislocation motion in Ca^{++} -doped NaCl crystals |

- | | | |
|---|-----|---|
| M. Kira, W. Hoyer and S.W. Koch | 733 | Terahertz signatures of the exciton formation dynamics in non-resonantly excited semiconductors |
| A. Rubaszek | 737 | Contribution of valence s+p type electrons to the high momentum components of the electron-positron momentum density in gold |
| W.T. Geng and K.S. Kim | 741 | Interplay of local structure and magnetism in Co-doped TiO ₂ anatase |
| P. Sen, P.K. Sen, R. Bhatt, S. Kar, V. Shukla and K.S. Bartwal | 747 | The effect of MgO doping on optical properties of LiNbO ₃ single crystals |
| X.M. Feng, G.H. Rao, G.Y. Liu, W.F. Liu, Z.W. Ouyang and J.K. Liang | 753 | Enhancement of Curie temperature and room-temperature magnetoresistance in double perovskite (Sr _{1.6} Ba _{0.4})FeMoO ₆ |
| | I | Keywords |
| | III | Instructions to Authors |

VOLUME 129, NUMBER 12

(Published 8 March 2004)

CONTENTS

- | | | |
|---|-----|---|
| V. Mueller, L. Jäger, H. Beige, H.-P. Abicht and T. Müller | 757 | Thermal expansion in the Burns-phase of barium titanate stannate |
| F.A. Mikailov, E. Başaran, E. Şentürk, L. Tümbek, T.G. Mammadov and V.P. Aliev | 761 | Time relaxation of dielectric constant in the commensurate phase of TiGaSe ₂ |
| P. Zaheerudeen Saheb, B.H. Sharmila, S. Asokan and K. Appaji Gowda | 765 | Extended rigidity percolation and chemical thresholds in Ge-Te-Pb glasses as revealed by MDSC |
| S.-H. Jhi, Y.-K. Kwon, K. Bradley and J.-C.P. Gabriel | 769 | Hydrogen storage by physisorption: beyond carbon |
| C.H. Song, W. Li, J. Ma, J. Gu, Y.Y. Yao, Y. Feng, X.M. Lu, J.S. Zhu, Y.N. Wang, W.L.H. Chan and C.L. Choy | 775 | Ferroelectric properties of Bi _{3.25-x/3} La _{0.75} Ti _{3-x} Nb _x O ₁₂ films prepared by pulsed laser deposition |
| M. Lata Rao and S. Sundar Manoharan | 781 | Magnetism and magneto-transport studies in sonochemically prepared amorphous Co _{100-x} Pt _x nano alloys |
| T. Yanagida, T. Kanki, B. Vilquin, H. Tanaka and T. Kawai | 785 | La _{0.7} Ce _{0.3} MnO ₃ epitaxial films fabricated by a pulsed laser deposition method |
| P. Teredesai, D.V.S. Muthu, N. Chandrabhas, S. Meenakshi, V. Vijayakumar, P. Modak, R.S. Rao, B.K. Godwal, S.K. Sikka and A.K. Sood | 791 | High pressure phase transition in metallic LaB ₆ : Raman and X-ray diffraction studies |
| M.A. Gaffar, A. Abu El-Fadl and S. Bin Anooz | 797 | Mechanism of the dc conduction in undoped and Sr ²⁺ doped ammonium zinc chloride crystal |
| X. Sun, H. Zhang, J. Xu, Q. Zhao, R. Wang and D. Yu | 803 | Shape controllable synthesis of ZnO nanorod arrays via vapor phase growth |
| E.I. Isaev, A.I. Lichtenstein, Yu.Kh. Vekilov, E.A. Smirnova, I.A. Abrikosov, S.I. Simak, R. Ahuja and B. Johansson | 809 | Ab initio phonon calculations for L1 ₂ Ni ₃ Al and B2 NiAl |

I Volume 129 Index

XI Author Index

XVII Keywords

XIX Instructions to Authors

